



PROCESSION SYSTEMS

SYSTEM

PROCESSION

ZP-SLIM SERIES

Processional equipment with digital amplifier, wireless microphone system, MP3 player etc.

PERFECT FOR processions, pageants, small church services small church services guided tours and many more

WIRELESS TECHNOLOGY LIGHT WEIGHT 6 Hours of operation audio player module

Procession systems with 40 W or 60 W sinus (depending on the model), digital T-Class amplifiers, wireless system, USB/ SD player with BT receiver, charger, carrying strap and pouch.

The **ZP-SLIM** procession systems are flexible mobile PA systems that convince the user with their powerful voice and music transmission, their attractive appearance and their electronic and mechanical design.

The systems can be used as **mobile devices** or as a **stationary sound system** (for example as background music player in the church).

In combination with the **included NiMH battery pack**, the systems allow an **operating time of about 6 hours**.

Complete SET

The scope of delivery includes a complete mobile system (scope varies depending on the model):

- Battery & charger
- 1^{*} or 2^{**} wireless receiver(s)
- 1[°] or 2^{°°} wireless hand microphone(s)
- Carrying strap & carrying bag
- Device description

The procession systems have **two separate power channels** (2 x 20 W sinus or 2 x 30 W sinus depending on the model) based on the digital CLASS-T amplifiers. Using high-quality, high-performance **neodymium 3.3**" speaker chassis provides excellent sound in both speech and music.

ZP-40 SLIM/1 (SET).. Procession syst./ 1 x wireless syst. Digital AMP 2 x 20 W, 1 x wireless receiver, 1 x wireless microphone, 4 x neodym. speak. ZP-40 SLIM/2 (SET).. Procession syst./ 2 x wireless syst. Digital AMP 2 x 20 W, 2 x wireless receivers, 2 x wireless microphones, 4 x neodym. speak. ZP-43 SLIM/2 (SET).. Procession syst./ 2 x wireless syst. Digital AMP 2 x 30 W, 2 x wireless receivers, 2 x wireless microphones, 6 x neodym. speak.



Fig.: *left* Model ZP-40 SLIM with 40 W power; *right* Model ZP-43 SLIM with 60 W power; SLIM/2 models with 2 wireless hand microphones and 2 wireless receivers included

* Model ZP-40 SLIM/1 (SET)

Models

** Models ZP-40 SLIM/2 (SET) and ZP-43 SLIM/2 (SET)



PROCESSION SYSTEMS

ZP-SLIM SERIES - Continued from previous page —



Wireless transmitter (bodypack)

with lavalier microphone or headset

Fig .: The upper speakers can be rotated steplessly up to 180° Weatherproof bag

for transport and storage



PROCESSION SYSTEMS

Simple data transfer Total freedom of movement: The built-in playback module PLAY D

ZP-SLIM SERIES - Continued from previous page =

with BT receiver (including IR remote control) supports all popular Bluetooth-enabled devices and allows you to wirelessly transfer music or pre-made texts from your mobile phone, PC or MP3 player to the procession system and play it.

Inputs for a USB stick and a SD memory card are available.

Fig .: Playback module (with BT receiver, inputs for USB stick + SD card) & remote control

000

0




Fig.: above ZP-SLIM as a stationary sound system in the church

0

ī.

Technical Details ZP-40SLIM/1 (SET) ZP-40SLIM/2 (SET) ZP-43SLIM/2 (SET) Output 2 x 20W sine (40W) 2 x 30W sine (60W) Amplifier 2-channel digital class T Equalization 1 x LF/HF filter wireless receiver, 1 x LF/HF filter in the system Volume control 1 x for the wireless system, 1 x for the system Speaker 4 x 3.5" broadband, neodymium; swiveling 6 x 3.5" broadband, neodymium; swiveling 100 Hz to 18 kHz [+/2 dB] **Frequency response** 99 dBA value @1W/1mtr. 98 dBA value @1W/1mtr. Sound pressure $1\,x$ USB player, $1\,x$ SD- player, $1\,x$ mic on jack, $1\,x$ LINE on RCA, **Audio inputs** + 1 x wireless receiver + 2 x wireless receivers +2x wireless receivers 1 x LINE on XLR Audio outputs **Remote Control** IR system for SD / USB players screwable outdoor antenna Antenna **Battery technology** Nickel-Metal Hydride Accumulators (NiMH) about 10 hours [automatic] Charge Uptime about 5-6 hours Wireless technology 2 x UHF receivers, 2 x UHF hans microphones 1 x UHF receiver, 1 x UHF hand microphone **Reception Mode** UHF toll free Range [system] 100 meters 150 meters Range [radio] 70 meters Power supply 24VDC external power supply **Tripod flange** yes, with 35 mm bore Material ALU powder-coated Mass about 5 kg with batteries Shoulder strap Holder Dimension 162 cm length 140 cm length



www.phoenix-pa.com • shop.phoenix-pa.com

Tel.: +49 (0) 8061 495 603 - 0 | Fax: +49 (0) 8061 495 603 - 1 | E-Mail: info@phoenix-pa.com

PHOENIX PROFESSIONAL AUDIO GMBH

Gewerbepark Markfeld 5 83043 Bad Aibling Germany